

Assembly instructions

BACKREST SPACELOUNGE



Thank you for purchasing
your SpaceLounge!

Let's get it mounted on your vehicle!
Please read these instructions carefully
before starting installation and
before using the product.

It is recommended to first sort all parts,
screws, and washers by size to make
assembly easier.

Benötigtes Werkzeug



1x Allen key size 4

1x Allen key size 5

1x Allen key size 6

Assembly Time



Approx. 20-30 minutes



1. Pre-Assembly




Fig. 1

Fit the edge protection onto both brackets (Fig. 1).



Fig. 2

Next, position the rubber bumpers together with the spacers on the arms (Fig. 2) and secure them using the M6×16 button head screws. The assembly is shown in Figure 3.



Fig. 3

Insert four slot nuts into the profile (Fig. 4). Attach the arms to the profile using the M8×12 button head screws, but leave them slightly loose to allow for later adjustment (Fig. 5).



Fig. 4



Fig. 5

2. Installing the Brackets



Fig. 6

If the backrest is mounted at the outer edge, first place the spacer block on top of the crossbar (Fig. 6).

Remove the button head screws from the previously installed modules. These screws are no longer required for the installation of the backrest.



Fig. 7

Position the brackets and insert the M8×16 screws together with the washers. Tighten them only loosely at this stage (Fig. 7).

(Crosswise installation)

Insert the slot nuts into the profile as shown in Figure 10. Then position the brackets and fasten them securely as shown in Figure 11.



Fig. 10



Fig. 11

Align both brackets so that they are in line with each other, as shown in Figure 8. Then fully tighten all screws (Fig. 9).



Fig. 8



Fig. 9

3. Final Assembly



Fig. 12

Insert the pre-assembled backrest into the brackets and secure it immediately with the locking pins (Fig.12).



Fig. 13

Insert the retaining clips through the pins to prevent them from coming loose. The correct position is shown in Figure 13.



Fig. 14

Adjust the backrest to the desired angle and tighten the four M8×12 button head screws (Fig. 14).

Finally, press the end caps onto the profile.

4. Securing for Driving




Fig. 15

The backrest must be additionally secured while driving.

Install the two airline fittings and route the FixPlus strap over one of the backrest arms. The correct securing method is shown in Figure 15.

This completes the installation. Double-check that all screws are tightened properly to ensure that your SpaceLounge is mounted safely and securely.



**Enough wrenching for now!
Get out there and enjoy the adventure!**

**Have fun with your SpaceLounge,
*Chris & Flo***



Safety Warnings

1. Risk of Life Due to Improper Installation

An incorrect installation of the roof rack system can lead to it becoming loose or detaching during travel, potentially causing serious accidents and injuries. If in doubt, have the installation performed by a professional.

2. Risk of Injury from Heavy Objects

Ensure that the roof rack system's maximum load capacity is observed when loading. Overloading can cause deformation or breakage of the rack, leading to dangerous situations for the driver and other road users.

3. Hazard from Loose Fastening Elements

Check before every journey that all screws and fastening elements are securely tightened. Loose parts can result in the loss of the roof rack system while driving.

4. Caution at High Speeds

Driving with a mounted roof rack system can affect the vehicle's handling, particularly at high speeds, in strong winds, and during cornering. Reduce speed as necessary and drive cautiously.

5. Risk Due to Increased Vehicle Height

Be aware that the mounted roof rack system increases the vehicle's height. Underpasses, garages, and other low-clearance areas may pose a hazard. Always check the clearance height before entering such areas.

6. Risk of Falling During Installation

There is a risk of falling during the installation of the roof rack system, particularly when working at a height or on a ladder. Always use stable ladders and ensure a secure stance to prevent falls and injuries.

7. Slipping Hazard When Wet

In wet or damp conditions, the surface of the roof rack can become slippery, increasing the risk of falling. Proceed cautiously when working in wet weather or on a damp surface, and wear non-slip footwear.

8. Caution: Risk of Injury During Installation

Be mindful of sharp edges and heavy components during installation. Wear protective gloves if necessary and ensure that no parts fall on people or objects.

9. Hazard Due to Product Modifications

Modifications or structural changes to the roof rack system are strictly prohibited. Alterations can compromise the safety and stability of the system and will void any warranty and liability.

Please follow all safety instructions carefully to avoid risks and hazards.

Important Notes

The installation guide serves as a support for the installation of the roof rack system. All steps and instructions have been carefully prepared and reviewed to ensure error-free installation. However, we accept no liability for damages resulting from improper installation, use, or modification of the product. Please observe the following important instructions:

1. Professional Installation

Installation should be carried out by a qualified person or a professional service provider. Improper installation may result in damage to the vehicle, personal injury, or damage to the load.

2. Regular Inspections

Regularly check the fastening elements, especially after long journeys or trips on uneven terrain. Any loose parts must be tightened immediately.

3. Load Limit

Pay attention to the maximum permissible load of the roof rack and the recommendations of the vehicle manufacturer. Overloading may cause damage to the vehicle and the roof rack system.

4. Modifications to the Product

Any modification or alteration to the roof rack system is prohibited and may impair the functionality and safety of the product. In such cases, any warranty or liability from the manufacturer will be void.

5. Disclaimer

The use of the roof rack system is at your own risk. The manufacturer and distributor accept no responsibility for damages or injuries resulting from improper installation, misuse, or failure to comply with safety instructions.

By installing and using this product, you accept the above terms and conditions.